Supplementary Material

Anosognosia in Apraxia of Common Tool-Use

Ilka Buchmann 1,2, Rebecca Jung 1, Joachim Liepert 2,3 & Jennifer Randerath 1,2*

* Correspondence:

Dr. Jennifer Randerath,

Department of Psychology, University of Konstanz & Lurija Institute, Kliniken Schmieder Allensbach, Pb 216, Universität Konstanz, Universitätsstr. 10, 78457 Konstanz, Germany email: <u>J Randerath@hotmail.com</u>, jennifer.randerath@uni-konstanz.de

1 Supplementary Data

The VATA-NAT Booklet is provided separately for patients with left and right brain damage. Consequently, the actions executed on the images are shown with the left or right hand.

¹ University of Konstanz, Konstanz, Germany

² Lurija Institute for rehabilitation sciences and health research at the University of Konstanz, Konstanz, Germany

³ Kliniken Schmieder, Allensbach, Germany





Booklet for the Visual-Analogue Test assessing

Anosognosia for Naturalistic Action Tasks

(VATA-NAT)

For Patients with left hemisphere brain damage


VATA-NAT

Instructions

"You now will be asked, how well you <u>currently</u> can solve a series of actions. Every task will be shown on a picture. Additionally, the question is written above the picture. I will read out every question to you. Please tell me, how well you can solve the action <u>at the moment</u>. The questions are <u>not</u> about the mobility of your arm, but generally, how you are able to mentally <u>plan and execute the actions</u>.

Below each picture there is an evaluation scale. Please show me your capacity on this scale ranging from 0 to 3. Zero means, that you have no problem at all to solve the requested action at this moment. One means minor difficulties and two means serious difficulties. Three means, that it is currently not possible for you to solve the requested action. You can show me your answer by pointing on the appropriate position on the scale. Let's start with a practice item."

Example: Do you have any difficulties to drive a car?







No difficulties Difficulties

0------2-----3

1. Do you have any difficulties to take a fried egg out of a pan?







No difficulties Difficulties

0-----2------2------3

2. Do you have any difficulties to open a bottle with crown cap?







No difficulties			Difficulties
0	11	22	3

3. Do you have any difficulties to scoop soup out of a pot?







No difficulties			Difficulties
0	4	2	0

4. Do you have any difficulties to clean a board?







No difficulties			Difficulties
0	4	0	0

5. Do you have any difficulties to tighten a screw?








No difficulties	Difficulties

0------2------3


6. Do you have any difficulties to fil a flower pot with potting soil?






7. Do you have any difficulties to hang out the laundry?






8. Do you have any difficulties to eat soup?






9. Do you have any difficulties to use the phone?







10. Do you have any difficulties to prepare a slice of toast?




11. Do you have any difficulties to prepare a cup of filter coffee?



12. Do you have any difficulties to punch a piece of paper and sort it in a folder?



13. Do you have any difficulties to set the table?








No difficulties

Difficulties

0------3

14. Do you have any difficulties to jump over a lorry?







No difficulties

Difficulties

0------2-----3





Booklet for the Visual-Analogue Test assessing

Anosognosia for Naturalistic Action Tasks

(VATA-NAT)

For Patients with right hemisphere brain damage


VATA-NAT

Instructions

"You now will be asked, how well you <u>currently</u> can solve a series of actions. Every task will be shown on a picture. Additionally, the question is written above the picture. I will read out every question to you. Please tell me, how well you can solve the action <u>at the moment</u>. The questions are <u>not</u> about the mobility of your arm, but generally, how you are able to mentally <u>plan and execute the actions</u>.

Below each picture there is an evaluation scale. Please show me your capacity on this scale ranging from 0 to 3. Zero means, that you have no problem at all to solve the requested action at this moment. One means minor difficulties and two means serious difficulties. Three means, that it is currently not possible for you to solve the requested action. You can show me your answer by pointing on the appropriate position on the scale. Let's start with a practice item."

Example: Do you have any difficulties to drive a car?







No difficulties Difficulties

0------2-----3

1. Do you have any difficulties to take a fried egg out of a pan?







No difficulties Difficulties

0-----2------2-------3

2. Do you have any difficulties to open a bottle with crown cap?







Λ22	3

3. Do you have any difficulties to scoop soup out of a pot?







No difficulties			Difficulties
0	4	0	0

4. Do you have any difficulties to clean a board?







No difficulties		Difficulties
011	2	3

5. Do you have any difficulties to tighten a screw?








No difficulties	Difficulties


6. Do you have any difficulties to fil a flower pot with potting soil?






7. Do you have any difficulties to hang out the laundry?






8. Do you have any difficulties to eat soup?





9. Do you have any difficulties to use the phone?







10. Do you have any difficulties to prepare a slice of toast?




11. Do you have any difficulties to prepare a cup of filter coffee?



12. Do you have any difficulties to punch a piece of paper and sort it in a folder?



13. Do you have any difficulties to set the table?








No difficulties

Difficulties

0------3

14. Do you have any difficulties to jump over a lorry?







No difficulties

Difficulties

0------2-----3