

Fabrication of Customized Nanogel Carriers from a UV-Triggered Dynamic Self-Assembly Strategy

Wuren Bao¹, Jieran Lyu^{2,5}, Chunlin Li³, Jifeng Zhang⁴, Tunan Sun³, Xing Wang^{5,6,*}, Jin Zhou^{3,*} and Dawei Li^{3,*}

¹School of Nursing, Inner Mongolia University for Nationalities, Huolinhe Street West, Kerchin District, Tongliao, Inner Mongolia, 028000, P.R. China

²Clinical Medicine Academy of Shandong First Medical University, Taian 271016, P.R. China

³The 8th Medical Center of Chinese PLA General Hospital, Beijing 100091, P.R. China

⁴Department of Orthopedic Surgery, Tongliao City Hospital, Kerchin Street, Kerchin District, Tongliao, Inner Mongolia 028000, P.R. China

⁵Beijing National Laboratory for Molecular Sciences, State Key Laboratory of Polymer Physics & Chemistry, Institute of Chemistry, Chinese Academy of Sciences, Beijing 100190, P.R. China

⁶University of Chinese Academy of Sciences, Beijing 100049, P.R. China




Fig. S1 TEM images showing morphology and size evolution with a concentration of 1 mg/mL aqueous media under UV irradiation at (a) 2, (b) 6, (c) 10, (d) 12, (e) 16, (f) 28, (g) 36 and (h) 44 h.