

ACTIVITY	DRUG	IC ₅₀ / CC ₅₀ μ M (Mean +/-SD)	Mode of Action	Previous Clinical Use	Vendor Origin
UNKNOWN	Azithromycin (Zitromax)	Not Active / > 100	Antibiotic	Bacteria	Pfizer
	Doxycycline (Anaclosil)	Not Active / > 100	Antibiotic	Bacteria	Reig
	Eravacycline (Xerava)	Not Active / > 4	Antibiotic	Resistent bacteria	Tetraphase Pharmaceuticals
	Quinacrine dihydrochloride	Not Active / > 6	Inhibitor of NF-kappaB	Parasites	Sigma Aldrich
	Ivermectin (Stromectol)	Not Active / > 2	Nuclear import inhibitor	Parasites	MSD
	Mefloquine hydrochloride	Not Active / > 100	Phospholipid bilayer?	Malaria	Sigma Aldrich
	N-Acetil cystein (Flumil)	Not Active / > 100	Synthesis of glutathione	Influenza	Zambon
	Itraconazole	79.37 / > 100	Inhibits OSBP, which produces the membrane-bound viral replication organelles	Fungus	Janssen
	Fluconazol	Not Active / > 100	Antibiotic	Fungus	Fransius Kabi
	Famotidine	Not Active/ > 100	Histamine-2 receptor antagonist	Gastric	Normon
	Cetirizine dihydorchloride	Not Active/ > 100	Histamine-H1 receptor antagonist	Antihistaminic	Sigma Aldrich
	Colchicine	Not Active / 0.63	Anti mytotic	Gout attacks	Merck
	Palbociclib	Not Active/ 2,7	CDK4/6 inhibitor	Breast cancer	Selleckchem
	Ribociclib	Not Active / > 20	CDK4/6 inhibitor	Breast cancer	Selleckchem
	Abenaciclib	Not Active / > 1	CDK4/6 inhibitor	Breast cancer	Selleckchem
	Silibinin	Not active / > 20	?	Liver disease	Rottapharm Madaus
	Atorvastatin	Not active / > 20	HMG-CoA reductase inhibitor	Cardiovascular disease	Normon
	Fenofibrate	19.8 +/- 8 / > 100	Activates PPAR α	Dyslipidemia	Lacer
	MDL 28170	0.14 +/- 0.06 / > 87	Calpain III inhibitor & Cathepsin B inhibitor	<i>Pre-Clinical</i>	Merck
	NPO-2142; -2143 & -2260	~ 0.54 / > 10	Calpain & Cathepsin inhibitors	<i>Pre-Clinical</i>	Landsteiner Genmed
	NPO-2138	<i>Not calculated, but partially active at 100 / > 10</i>	Calpain & Cathepsin inhibitors	<i>Pre-Clinical</i>	Landsteiner Genmed

Supplementary Table 5